

Teklab TO-13A (Modified) Analytes

Analyte	Certification	MDL	PQL
		ug-Total	ug-Total
1-Methylnaphthalene	NELAP	0.05	0.1
2-Chloronaphthalene	NELAP	0.05	0.1
2-Methylnaphthalene	NELAP	0.05	0.1
Acenaphthene	NELAP	0.05	0.1
Acenaphthylene	NELAP	0.05	0.1
Anthracene	NELAP	0.05	0.1
Benz(a)anthracene	NELAP	0.05	0.1
Benzo(a)pyrene	NELAP	0.05	0.1
Benzo(b)fluoranthene	NELAP	0.05	0.1
Benzo(e)pyrene	NELAP	0.05	0.1
Benzo(g,h,i)perylene	NELAP	0.09	0.1
Benzo(k)fluoranthene	NELAP	0.05	0.1
Chrysene	NELAP	0.05	0.1
Coronene	NELAP	0.05	0.1
Dibenz(a,h)anthracene	NELAP	0.09	0.1
Fluoranthene	NELAP	0.05	0.1
Fluorene	NELAP	0.05	0.1
Indeno(1,2,3-cd)pyrene	NELAP	0.09	0.1
Naphthalene	NELAP	0.2	0.5
Perylene	NELAP	0.05	0.1
Phenanthrene	NELAP	0.05	0.1
Pyrene	NELAP	0.05	0.1



Collinsville, IL

Kelly Klostermann 618-920-2534,
kklostermann@teklabinc.com

John Riley 618-344-1004 x 30,
jhriley@teklabinc.com

Kansas City, KS

Sherri Jones 913-541-1998,
sjones@teklabinc.com

Springfield, IL

Kelly Klostermann 618-920-2534,
kklostermann@teklabinc.com

Downers Grove, IL

Aaron Renner 630-324-6855,
arenner@teklabinc.com